FOUR FAMILIES RE-ESTABLISHED 2014


KATO

a screen fabric



AUSTRALIAN DESIGNED

100%





THE STORY

A classic screen fabric, with a feature list so long that we considered making this card A4: fire retardant, anti fungal, mold resistant, lead free, printable, UV resistant, colourfast... this contemporary classic is as versatile as you need. And a little peace of mind never hurts!

HOW IT'S MADE

COMPOSITION:	30% Polyester / 70% PVC
WIDTH:	300cm & 200cm*
ROLL LENGTH:	22-30m rolls
WEIGHT:	400gsm +/- 10% (ISO 2286-2)
THICKNESS:	0.55mm+/-5% (ISO 2286-3)
OPENNESS FACTOR:	5%
PATTERN:	2x2 Basket weave
FIRE CLASSIFICATION:	FR (NFPA 701-2010)
BREAKING STRENGTH:	Warp 150 daN/5cm,

Weft 160 daN/5cm (ISO 1421)

TEAR STRENGTH: Warp 8.8 dan, Weft 7.3 dan (ISO4674)

EXTREME LIGHT STABILITY: 2000h ASTM G53-96

COLOUR FASTNESS TO LIGHT: 8 (ISO 105:B02)

SPECIAL TREATMENT: VOC free, Mould resistant (ISO 846)

Suitable for roller blinds, roman blinds & panel glides.
*available in 200cm for colours black & white only.

KATO'S WEAVING ENVIRONMENTAL MANAGEMENT SYSTEM
COMPLIES WITH ISO 14001
OEKOTEX & GREENGUARD CERTIFIED FABRIC

PAIRINGS

The Kato design and colours have been chosen by our design team to complement these Maurice Kain & Sekers curtain fabrics:



Maurice Kain
INVENTA PEBBLE



Sekers MADAGASCAR SUMMER



www.fourfamilies.com.au

TAKING CARE

Cleaning your blind fabric is essential, not only to remove surface dust and stains, but it will also increase the longevity of your blinds. Use a feather duster, or a vacuum set on low with an appropriate attachment. Always exercise caution when spot cleaning. Use a clean, lint-free cloth or sponge and dip it in warm water. Dry gently with a clean towel. Always make sure to test any cleaning product on a small, discreet section of the fabric. Chemicals will permanently damage your fabric.



ALL THE FOUR FAMILIES FABRICS HAVE A LIGHT FASTNESS SCORE OF AT LEAST 6 ON
THE BLUE SCALE (ISO 105-B02: 1994), WHICH ENSURES THAT THE COLOURS WILL STAY VIBRANT FOR MANY
YEARS TO COME. COLOURS MAY VARY SLIGHTLY FROM ONE PRODUCTION BATCH TO ANOTHER. VARIATIONS ARE
WITHIN INDICITELY STANDARD

(DELTA E READING 1≤). PLEASE ALWAYS CHECK THE COLOUR BEFORE CUTTING